



Product Quality:

Instead of guarantying our valuable customers by claiming our products of the best standards, We simply invite our potential customers to have our samples of their choice. We are so confident on our product quality and we believe that you will choose us to be your preferred supplier.

BUSINESS POLICY:

Our business policy circles around the Customer Satisfaction and remains on the top priority in our objectives.

GUARANTEE:

We Guarantee that all our instruments are free from defect, quality passed, can resist more against corrossion and will pass defined time frame and will perform its function accurately.

DELIVERY TIME:

It is our policy to deliver the quantity as per customer requirements and within the planned time frame. We request our customers to kindly aware us about the goods which are frequently demanded by the customers of our valued customer's so we can make such goods in regular basis to make delivery in short period of time.

PRICES & PAYMENT:

We offers very competitive prices and would like to negotiate payment terms with open and flexible options which suits both of parties.

For more information please contact us.

Amputation Saws.....	04-05
Bone Chisels.....	06-10
Bone Cutting Forceps.....	11-13
Bone Holding Clamps.....	14
Bone Holding Forceps.....	15-18
Bone Levers.....	19-21
Bone Mallets.....	22-25
Bone Rasps and Bone Files.....	26
Bone Reamers and Bone Drills.....	27-29
Bone Repositioning Forceps.....	30-31
Bone Rongeurs.....	32-37
Bone Tampers.....	38-39
Knee Retractors.....	40-41
Meniscus Knives.....	42
Nail Instruments.....	43-44
Tendon Instruments.....	45-47
TC Wire Cutting Forceps.....	48
TC Wire Holding Forceps.....	49-50
Wire Guides & Extension Bows.....	51-53
Wire Holding Forceps.....	54-55



119-101

**Charriere Amputation Saw
Complete With Saw Blade
35 cm - 13 3/4"**



119-102

**Charriere Saw Blade Blade
Width 12 mm**



119-103

**Charriere Saw Blade Blade
Width 15 mm**



119-104

**Charriere Saw Blade Blade
Width 18 mm**



119-105

**Bier Amputation Saw Complete
With Saw Blade 40.5 cm - 16"**



119-106

**Bier Saw Blade Blade Width 4
mm**



119-107

**Bier Saw Blade Blade Width 6
mm**



119-108

**Bier Saw Blade Blade Width 8
mm**



119-109

**Langenbeck Amputation
Saw 24.5 cm - 9 3/4"**



119-110

**Charriere Amputation Saw
Complete With Saw Blade
26.5 cm - 10 1/2"**



119-111

**Satterlee Amputation Saw
Complete With Saw Blade
29 cm - 11 1/2"**



119-112

Satterlee Saw Blade Standard

Amputation Saws



120-101

**Stille Bone Chisel 20 cm - 8"
Blade Width 10 mm**



120-102

**Stille Bone Chisel 20 cm - 8"
Blade Width 15 mm**



120-103

**Stille Bone Chisel 20 cm - 8"
Blade Width 20 mm**



120-104

**Stille Bone Chisel 20 cm - 8"
Blade Width 25 mm**



120-105

**Hibbs Bone Chisel 24.5 cm - 9
3/4" Blade Width 6 mm**



120-106

**Hibbs Bone Chisel 24.5 cm - 9
3/4" Blade Width 13 mm**



120-107

**Hibbs Bone Chisel 24.5 cm - 9
3/4" Blade Width 19 mm**



120-108

**Hibbs Bone Chisel 24.5 cm - 9
3/4" Blade Width 25 mm**



120-109

**Hibbs Bone Chisel 24.5 cm - 9
3/4" Blade Width 32 mm**



120-110
Bone Chisel 17 cm - 6 3/4"
Blade Width 4 mm



120-111
Gardner Bone Chisel Triangular
Shape 17 cm - 6 3/4" Blade
Width 4 mm



120-112
Gardner Bone Chisel Triangular
Shape - Curved Right 17 cm - 6
3/4" Blade Width 4 mm



120-113
Gardner Bone Chisel Triangular
Shape - Curved Left 17 cm - 6
3/4" Blade Width 4 mm



120-114
Bone Chisel 13.5 cm - 5 1/4"
Blade Width 8 mm



120-115
Bone Chisel 13.5 cm - 5 1/4"
Blade Width 10 mm



120-116
Bone Chisel 13.5 cm - 5 1/4"
Blade Width 12 mm



120-117
Bone Chisel 13.5 cm - 5 1/4"
Blade Width 14 mm



120-118
Bone Chisel 13.5 cm - 5 1/4"
Blade Width 16 mm



120-119

**Partsch Bone Chisel 13.5 cm - 5
1/4" Blade Width 2 mm**



120-120

**Partsch Bone Chisel 13.5 cm - 5
1/4" Blade Width 3 mm**



120-121

**Partsch Bone Chisel 13.5 cm - 5
1/4" Blade Width 4 mm**



120-122

**Partsch Bone Chisel 13.5 cm - 5
1/4" Blade Width 5 mm**



120-123

**Partsch Bone Chisel 13.5 cm - 5
1/4" Blade Width 6 mm**



120-124

**Partsch Bone Chisel 13.5 cm - 5
1/4" Blade Width 7 mm**



120-125

**Partsch Bone Chisel 13.5 cm - 5
1/4" Blade Width 8 mm**



120-126

**Partsch Bone Chisel 17 cm - 6
3/4" Blade Width 2 mm**



120-127

**Partsch Bone Chisel 17 cm - 6
3/4" Blade Width 3 mm**



120-128

**Partsch Bone Chisel 17 cm - 6
3/4" Blade Width 4 mm**



120-129

**Partsch Bone Chisel 17 cm - 6
3/4" Blade Width 5 mm**



120-130

**Partsch Bone Chisel 17 cm - 6
3/4" Blade Width 6 mm**



120-131

**Partsch Bone Chisel 17 cm - 6
3/4" Blade Width 7 mm**



120-132

**Partsch Bone Chisel 17 cm - 6
3/4" Blade Width 8 mm**



120-133

**FiberGrip Lexer Bone Chisel 20
cm - 8"**



120-134

**FiberGrip Lexer Bone Chisel 20
cm - 8"**



120-135

**FiberGrip Lexer Bone Chisel 20
cm - 8"**



120-136

**FiberGrip Lexer Bone Chisel
Curved 20 cm - 8"**



120-137

**FiberGrip Lexer Bone Chisel
Curved 20 cm - 8"**



120-138

**FiberGrip Lexer Bone Chisel
Curved 20 cm - 8"**



120-139

**FiberGrip Bone Chisel 24.5 cm -
9 3/4"**



120-140

**FiberGrip Bone Chisel
Curved 26.5 cm - 10 1/2"**

Bone Chisels



121-101

**Semb Bone Cutting Forcep
Compound Action 24.5 cm - 9
3/4"**




121-102

**Liston-Key Bone Cutting Forcep
Compound Action 25.5 cm - 10"**




121-103

**Stille-Liston Bone Cutting
Forcep Compound Action 26 cm
- 10 1/4"**



121-104

**Stille-Liston Bone Cutting
Forcep Curved - Compound
Action 27.5 cm - 10 3/4"**




121-105

**Stille-Liston Bone Cutting
Forcep Curved - Compound
Action 23.5 cm - 9 1/4"**




121-106

**Stille-Liston Bone Cutting
Forcep Straight - Compound
Action 27.5 cm - 10 3/4"**



121-107

**Ruskin-Liston Bone Cutting
Forcep Curved - Compound
Action 18 cm - 7"**



121-108

**Ruskin-Liston Bone Cutting
Forcep Straight - Compound
Action 18 cm - 7"**



121-109

**Cleveland Bone Cutting
Forcep 16 cm - 6 1/4"**




121-110

**Bohler Bone Cutting Forcep
Compound Action 14.5 cm - 5
3/4"**



121-111

**Bohler Bone Cutting Forcep
Compound Action 14.5 cm - 5
3/4"**



121-112

**Cleveland Bone Cutting
Forcep 17 cm - 6 3/4"**



121-113

**Cleveland Bone Cutting
Forcep 14.5 cm - 5 3/4"**



121-114

**Liston Bone Cutting Forcep
Curved 22 cm - 8 3/4"**



121-115

**Liston Bone Cutting Forcep
Curved 20 cm - 8"**



121-116

**Liston Bone Cutting Forcep
Curved 17 cm - 6 3/4"**



121-117

**Liston Bone Cutting Forcep
Curved 14 cm - 5 1/2"**



121-118

**Liston Bone Cutting Forcep
Straight 22 cm - 8 3/4"**



121-119

**Liston Bone Cutting Forcep
Straight 20 cm - 8"**



121-120

**Liston Bone Cutting Forcep
Straight 17 cm - 6 3/4"**



121-121

**Liston Bone Cutting Forcep
Straight 14 cm - 5 1/2"**



121-122

**Cottle-Kazanjian Bone Cutting
Forcep 18.5 cm - 7 1/4"**

Bone Cutting Forceps



122-101

**Gerster-Lowman Bone Holding
Clamp 18 cm - 7"**



122-102

**Gerster-Lowman Bone Holding
Clamp 20 cm - 8"**



122-103

**Gerster-Lowman Bone Holding
Clamp 22 cm - 8 3/4"**

Bone Holding Clamps




122-104

Gerster Traction Bar Standard



123-101

Verbrugge Bone Holding Forcep 17.5 cm - 7"



123-102

Verbrugge Bone Holding Forcep 27 cm - 10 3/4"




123-103

Verbrugge Bone Holding Forcep 26 cm - 10 1/4"




123-105

Verbrugge Bone Holding Forcep 25 cm - 9 3/4"



123-104

Lane Bone Holding Forcep With Ratchet 33 cm - 13 "



123-106

Lane Bone Holding Forcep Without Ratchet 33 cm - 13 "



123-107

Bone Holding Forcep Self Centering - With Thread Fixation 28 cm - 11"



123-108

Bone Holding Forcep Self Centering - With Thread Fixation 26 cm - 10 1/4"



123-109

Bone Holding Forcep Self Centering - With Thread Fixation 24 cm - 9 1/2"



123-111

Bone Holding Forcep Self Centering - With Thread Fixation 19 cm - 7 1/2"



123-110

Bone Holding Forcep Self Centering - With Thread Fixation 15 cm - 6"



123-112

Ulrich Bone Holding Forcep Curved - With Thread Fixation 27 cm - 10 3/4"



123-113

Ulrich Bone Holding Forcep Curved - With Thread Fixation 24 cm - 9 1/2"



123-114

Ulrich Bone Holding Forcep Curved - With Thread Fixation 22 cm - 8 3/4"



123-115

Ulrich Bone Holding Forcep Straight - With Thread Fixation 28 cm - 11"



123-116

Ulrich Bone Holding Forcep Straight - With Thread Fixation 25 cm - 9 3/4"



123-117

Ulrich Bone Holding Forcep Straight - With Thread Fixation 23 cm - 9"




123-118

Lambotte Bone Holding Forcep Straight - One Jaw Moveable 33 cm - 13"



123-119

**Lambotte Bone Holding Forcep
Straight - One Jaw Moveable 26
cm - 10 1/4"**



123-120

**Lambotte Bone Holding Forcep
Straight 22 cm - 8 3/4"**



123-121

**Farabeuf Bone Holding Forcep
With Ratchet 26 cm - 10 1/4"**




123-122

**Farabeuf Bone Holding
Forcep 26 cm - 10 1/4"**



123-123

**Farabeuf Bone Holding
Forcep 23 cm - 9"**



123-124

**Semb Bone Holding Forcep
Curved Sideways - With
Ratchet 19 cm - 7 1/2"**



123-125

**Hey-Groves Bone Holding
Forcep 30 cm - 12"**



123-126

**Hey-Groves Bone Holding
Forcep 27 cm - 10 3/4"**



123-127

**Hey-Groves Bone Holding
Forcep 21 cm - 8 1/4"**



123-128

**Kern Bone Holding Forcep 21
cm - 8 1/4"**



123-129

**Kern Bone Holding Forcep 17
cm - 6 3/4"**



123-130

**Frosch Bone Holding Forcep 18
cm - 7"**



123-131

**Martin Catrilage Seizing
Forcep 18.5 cm - 7 1/4"**



123-132

**Dingmann Catrilage Seizing
Forcep 18.5 cm - 7 1/4"**



123-133

**Semb Bone Holding Forcep 19
cm - 7 1/2"**




123-134

**Van Buren Bone Holding
Forcep 23 cm - 9"**



123-135

**Salyer Bone Holding Forcep 16
cm - 6 1/4"**



123-136

**Bircher-Ganske Catrilage
Seizing Forcep Curved
Sidwards 20 cm - 8"**



124-101

**Chandler Bone Lever 25 cm - 9
3/4" Blade Width 30 mm**



124-102

**Chandler Bone Lever 23 cm - 9"
Blade Width 25 mm**



124-103

**Chandler Bone Lever 20 cm - 8"
Blade Width 19 mm**



124-104

**Chandler Bone Lever 18 cm - 7"
Blade Width 13 mm**



124-105

Bristow Bone Lever 23 cm - 9"



124-106

Lane Bone Lever 25.5 cm - 10"



124-107

**Lane-Trethowan Bone
Lever 21.5 cm - 8 1/2"**



124-108

**Murphy-Lane Bone Lever Bone
Lever**



124-109

Bennett Bone Lever




124-110

Bennett Bone Lever 24 cm - 9 1/2" Blade Width 43 mm



124-111

Watson-Jones Bone Lever 28 cm - 11"



124-112

Schumacher Bone Lever 29 cm - 11 1/2" Blade Width 35 mm - 18 mm



124-113

Schumacher (Wagner) Bone Lever Toothed Edge 34.5 cm - 13 1/2" Blade Size 37 mm - 18 mm



124-114

Hohmann-Aldinger Bone Lever 27 cm - 10 3/4" Blade Width 24 mm



124-115

Bone Lever 30 cm - 12" Blade Width 22 mm



124-116

Bone Lever 29 cm - 11 1/2" Blade Width 40 mm



124-117

Verbrugge-Muller Bone Lever 25.5 cm - 10" Blade Width 65 mm



124-118

Verbrugge-Muller Bone Lever 24 cm - 9 1/2" Blade Width 44 mm



124-119

**Lange-Hohmann Modif Bone
Lever 29 cm - 11 1/2" Blade
Width 33 mm**



124-120

**Lange-Hohmann Modif Bone
Lever 26.5 cm - 10 1/2" Blade
Width 30 mm**



124-121

**Lange-Hohmann Bone Lever
Wide Tip with Groove 25 cm - 9
3/4" Blade Width 22 mm**



124-122

**Hohmann Bone Lever Wide
Round Tip 27.5 cm - 10 3/4"
Blade Width 24 mm**



124-123

**Hohmann Bone Lever Wide
Tip 29 cm - 11 1/2" Blade Width
35 mm**



124-124

**Hohmann Bone Lever Wide
Tip 25.5 cm - 10" Blade Width
22 mm**



125-101

Collin Bone Mallet 20 cm - 8" Head Diameter - Weight 30.0 mm Ø - 220 Grams




125-102

Hajek Bone Mallet 21.5 cm - 8 1/2" Head Diameter - Weight 27.0 mm Ø - 140 Grams




125-103

Gerzog Bone Mallet 19 cm - 7 1/2" Head Diameter - Weight 25.0 mm Ø - 225 Grams



125-104

Lucae Bone Mallet 19.5 cm - 7 3/4" Head Diameter - Weight 19.0 mm Ø - 230 Grams



125-105

Lucae Bone Mallet 19.5 cm - 7 3/4" Head Diameter - Weight 25.0 mm Ø - 260 Grams



125-106

Bergmann Bone Mallet 24 cm - 9 1/2" Head Diameter - Weight 45.0 mm Ø - 300 Grams



125-107

Bergmann Bone Mallet 23.5 cm - 9 1/4" Head Diameter - Weight 30.0 mm Ø - 245 Grams



125-108

Bone Mallet 24 cm - 9 1/2" 30.0 mm Ø - 42.0 mm Ø - 285 Grams



125-109

Cottle Bone Mallet Plain - Convex 19 cm - 7 1/2" Head Diameter - Weight 30.0 mm Ø - 300 Grams



125-110

Ombredanne Bone Mallet 24 cm - 9 1/2" Head Diameter - Weight 40.0 mm Ø - 520 Grams



125-111

Heath Bone Mallet 18.5 cm - 7 1/4" Head Diameter - Weight 40.0 mm Ø - 660 Grams



125-113

Williger Bone Mallet 16.5 cm - 6 1/2" Head Diameter - Weight 20.0 mm Ø - 140 Grams



125-114

Mallet Spare Plastic Discs Pair



125-115

Partsch Mallet With Hollow Handle 19 cm - 7 1/2" Head Diameter - Weight 22.0 mm Ø - 200 Grams



125-116

FiberGrip Bone Mallet With Plastic Handle 26 cm - 10 1/4" Head Diameter - Weight 30.0 mm Ø - 510 Grams



125-117

FiberGrip Mallet With Lead Filling 26 cm - 10 1/4" Head Diameter - Weight 42.0 mm Ø - 400 Grams



125-118

FiberGrip Mallet Without Lead Filling 26 cm - 10 1/4" Head Diameter - Weight 42.0 mm Ø - 250 Grams



125-119

FiberGrip Mallet With Lead Filling 26 cm - 10 1/4" Head Diameter - Weight 42.0 mm Ø - 400 Grams



125-120

FiberGrip Mallet Plane (Nylon) - Convex (Stainless Steel) 26.5 cm - 10 1/2" Head Diameter - Weight 30.0 mm Ø - 675 Grams



125-121

FiberGrip Mallet 26 cm - 10 1/4" Head Diameter 1 - Head Diameter 2 - Weight 42.0 mm Ø - 30.0 mm Ø - 530 Grams



125-122

FiberGrip Mallet 24 cm - 9 1/2" Head Diameter - Weight 30.0 mm Ø - 480 Grams



125-123

FiberGrip Mallet With Interchangeable Plastic Discs 24 cm - 9 1/2" Head Diameter - Weight 37.0 mm Ø - 370 Grams



125-124

Mallet Spare Plastic Discs Pair



125-125

FiberGrip Mallet 22 cm - 8 3/4" Head Diameter - Weight 30.0 mm Ø - 125 Grams



125-126

FiberGrip Mallet 26.5 cm - 10 1/2" Head Diameter - Weight 30.0 mm Ø - 450 Grams



125-127

FiberGrip Mallet 26.5 cm - 10 1/2" Head Diameter - Weight 50.0 mm Ø - 900 Grams



125-128

FiberGrip Vickers Mallet With Interchangeable Nylon Discs 19 cm - 7 1/2" Head Diameter - Weight 25.0 mm Ø - 300 Grams



125-129

Mallet Spare Plastic Discs Pair



125-130

FiberGrip Herbert Mallet 19 cm
- 7 1/2"



125-131

Williger Bone Mallet Lead
Filled 24 cm - 9 1/2" Head
Diameter - Weight 26.0 mm Ø -
300 Grams



125-132

Williger Bone Mallet Lead
Filled 24 cm - 9 1/2" Head
Diameter - Weight 28.0 mm Ø -
340 Grams



125-133

Williger Bone Mallet Lead
Filled 24 cm - 9 1/2" Head
Diameter - Weight 30.0 mm Ø -
400 Grams



125-134

Doyen Bone Mallet 20.5 cm - 8"
Head Diameter - Weight 25.0
mm Ø - 120 Grams



125-135

Doyen Bone Mallet 21 cm - 8
1/4" Head Diameter - Weight
30.0 mm Ø - 180 Grams



125-136

Doyen Bone Mallet 21.5 cm - 8
1/2" Head Diameter - Weight
35.0 mm Ø - 260 Grams



126-101

**Putti Bone Rasp Round - Semi
Round 30 cm - 11 3/4"**



126-102

**Putti Bone Rasp Curved -
Straight 27 cm - 10 3/4"**



126-103

**Bone File Semi-Round 28 cm -
11"**



126-104

**Bone File Semi-Round 24.5 cm -
9 3/4"**



126-105

Bone File Flat 22 cm - 8 3/4"

Bone Rasps and Bone Files



127-101
Bone Reamer 13.5 cm - 5 1/4"



127-102
Perthes Bone Reamer 18 cm - 7"



127-103
Perthes Bone Reamer 21.5 cm - 8 1/2"



127-104
Bone Reamer 14 cm - 5 1/2"



127-105
Drill Handle With Chuck T-Form
- With Key Standard



127-106
Key Standard



127-107
Drill Handle With Chuck
Langitudinally Board - With Key
Standard



127-108
Key Standard



127-109
Stille-Sherman Hand Drill
Complete With Twist Drill 25 cm
- 9 3/4"



127-110

**Stille Hand Drill Complete With
Twist Drill 20.5 cm - 8"**



127-111

**Twist Drill Fig. 1 Diameter 2.5
mm Ø**



127-112

**Twist Drill Fig. 2 Diameter 3.0
mm Ø**



127-113



127-114



127-115



127-116



127-117



127-118



127-119



127-120



127-121



127-122



127-123



127-124



127-125



127-126



127-127



128-101
**Repositioning Forcep /
Malleolar Forcep 21 cm - 8
1/4"**



128-102
**Repositioning Forcep / Patella
Forcep Self - Centering 18.5 cm
- 7 1/4"**



128-103
**Repositioning Forcep
Delicate 14 cm - 5 1/2"**




128-104
**Lewin Repositioning Forcep 18.5
cm - 7 1/4"**



128-105
**Repositioning Forcep Long
Ratchet - Pointed 13.5 cm - 5
1/4"**



128-106
**Repositioning Forcep 20.5 cm -
8"**



128-107
**Reill Repositioning Forcep 17
cm - 6 3/4"**



128-108
**Steinhauser Repositioning
Forcep 13 cm - 5"**



128-109
**Repositioning Forcep Long
Ratchet - Pointed 15 cm - 6"**



128-110

**Repositioning Forcep Long
Ratchet - Pointed 9 cm - 3 1/2"**

Bone Repositioning Forceps




129-101

**Sauerbruch Bone Rongeur
Compound Action 31 cm - 12
1/4"**



129-102

**Sauerbruch Bone Rongeur
Compound Action 31 cm - 12
1/4"**



129-103

**Stille-Luer Bone Rongeur
Curved - Compound Action 26.5
cm - 10 1/2"**



129-104

**Stille-Luer Bone Rongeur
Curved - Compound Action 23
cm - 9"**



129-105

**Stille-Luer Bone Rongeur
Straight - Compound
Action 26.5 cm - 10 1/2"**



129-106

**Stille-Luer Bone Rongeur
Straight - Compound Action 23
cm - 9"**



129-107

**Stille-Luer Bone Rongeur
Curved - Compound Action 22
cm - 8 3/4"**



129-108

**Stille-Luer Bone Rongeur
Straight - Compound
Action 22.5 cm - 8 3/4"**



129-109

**Frykholm Bone Rongeur
Compound Action 24.5 cm - 9
3/4"**



129-110

**Leksell-Stille Bone Rongeur
Compound Action 24.5 cm - 9
3/4"**



129-111

**Leksell-Stille Bone Rongeur
Compound Action 24.5 cm - 9
3/4"**



129-112

**Roettgen-Ruskin Bone Rongeur
Compound Action 24.5 cm - 9
3/4"**



129-113

**Stille-Ruskin Bone Rongeur
Compound Action 23.5 cm - 9
1/4"**



129-114

**Echlin Bone Rongeur Compound
Action 23 cm - 9" Bite Size 4 x
10 mm**



129-115

**Echlin Bone Rongeur Compound
Action 23 cm - 9" Bite Size 3 x
10 mm**



129-116

**Echlin Bone Rongeur Compound
Action 23 cm - 9" Bite Size 2 x
10 mm**



129-117

**Stille Bone Rongeur Compound
Action 22.5 cm - 8 3/4"**



129-118

**Semb Bone Rongeur Compound
Action 23.5 cm - 9 1/4"**



129-119

Ruskin Bone Rongeur Compound
Action 24 cm - 9 1/2"



129-120

Ruskin Bone Rongeur Compound
Action 19 cm - 7 1/2"



129-121

Marquard Bone Rongeur Compound
Action 20.5 cm - 8"



129-122

Meyfield Bone Rongeur Compound
Action 18 cm - 7"



129-123

Zaufal-Jansen Bone Rongeur Compound
Action 18 cm - 7"



129-124

Beyer Bone Rongeur Compound
Action 18 cm - 7"



129-125

Bohler Bone Rongeur Curved - Compound
Action 15.5 cm - 6"



129-126

Bohler Bone Rongeur Straight - Compound
Action 15.5 cm - 6"



129-127

Luer Bone Rongeur 14.5 cm - 5 3/4"



129-128

Luer Bone Rongeur 14.5 cm - 5 3/4"



129-129

Luer Bone Rongeur 14.5 cm - 5 3/4"



129-130

Luer Bone Rongeur Curved 18 cm - 7"



129-131

Luer Bone Rongeur Straight 18.5 cm - 7 1/4"



129-132

Blumenthal Bone Rongeur 14 cm - 5 1/2"



129-133

Blumenthal Bone Rongeur 15 cm - 6"



129-134

Blumenthal Bone Rongeur 15 cm - 6"



129-135

Lempert Bone Rongeur 19 cm - 7 1/2"



129-136

Jansen Bone Rongeur Curved 18 cm - 7"



129-137

**Jansen Bone Rongeur
Straight 18 cm - 7"**



129-138

**Hartmann Bone Rongeur 17.5
cm - 7"**



129-139

**Mead Bone Rongeur 16.5 cm - 6
1/2"**



129-140

**Cleveland Bone Rongeur 16.5
cm - 6 1/2"**



129-141

**Cleveland Bone Rongeur 13.5
cm - 5 1/4"**



129-142

**Friedmann Bone Rongeur 13.5
cm - 5 1/4"**



129-143

**Friedmann Bone Rongeur 13.5
cm - 5 1/4"**



129-144

**Friedmann Bone Rongeur 12.5
cm - 5"**



129-145

**Stellbrink Bone Rongeur 16.5
cm - 6 1/2"**



129-146

**Stellbrink Bone Rongeur 17.5
cm - 7"**

Bone Rongeurs



130-101

**Passow Bone Tamper 12 cm - 4
3/4\"**



130-102

**Passow Bone Tamper 12 cm - 4
3/4\"**



130-103

Bone Tamper 15.5 cm - 6\"
Diameter 2.0 mm Ø



130-104

Bone Tamper 15.5 cm - 6\"
Diameter 3.0 mm Ø



130-106

Bone Tamper 15.5 cm - 6\"
Diameter 5.0 mm Ø



130-107

Bone Tamper 15.5 cm - 6\"
Diameter 6.0 mm Ø



130-108

Bone Tamper 15.5 cm - 6\"
Diameter 8.0 mm Ø



130-109

Bone Tamper 15.5 cm - 6\"
Diameter 10.0 mm Ø



130-110

Caspar Bone Tamper 20 cm - 8\"
Diameter 3.0 mm Ø



130-111

Caspar Bone Tamper 20 cm - 8"
Diameter 5.0 mm Ø



130-112

Caspar Bone Tamper 20 cm - 8"
Diameter 8.0 mm Ø

Bone Tamper



131-101

Hibbs Retractor 23.5 cm - 9 1/4" Blade Size 25 x 75 mm



131-102

Hibbs Retractor 23.5 cm - 9 1/4" Blade Size 20 x 50 mm



131-103

Hibbs Retractor 23.5 cm - 9 1/4" Blade Size 13 x 25 mm



131-104

Taylor Retractor 16 cm - 6 1/4" Blade Size 100 x 30 mm



131-105

Taylor Retractor 16 cm - 6 1/4" Blade Size 75 x 30 mm



131-106

Blount Retractor 17.5 cm - 7"



131-107

Blount Retractor 26.5 cm - 10 1/2"



131-108

Blount Retractor Blunt 26.5 cm - 10 1/2"



131-109

Smillie Retractor 14 cm - 5 1/2" Blade Size 12 x 13 mm



131-110

Smillie Retractor 14 cm - 5 1/2"
Blade Size 52 x 13 mm



131-111

Smillie Retractor 14 cm - 5 1/2"
Blade Size 57 x 19 mm



131-112

Smillie Retractor 14 cm - 5 1/2"
Blade Size 48 x 19 mm

Knee Retractors



132-101

Salenius Meniscus Knife 21 cm - 8 1/4"



132-102

Salenius Meniscus Knife 21 cm - 8 1/4"



132-103

Neff Meniscus Knife 22 cm - 8 3/4"



132-104

Neff Meniscus Knife 22 cm - 8 3/4"



132-105

Meniscus Knife 18 cm - 7"



132-106

Smillie Meniscus Knife 17.5 cm - 7"



132-107

Smillie Meniscus Knife 17.5 cm - 7"



132-108

Smillie Meniscus Knife 17.5 cm - 7"



133-101
**Radolf Nail Extracting Forcep 14
cm - 5 1/2"**



133-102
**Anvil Nail Extracting
Forcep 12.5 cm - 5"**



133-103
Spare Saw Blade Standard



133-104
Finger Ring Saw 17 cm - 6 3/4"



133-105
Spare Saw Blade Standard



133-106
**Walton Finger Ring Saw 16 cm -
6 1/4"**



133-107
Spare Saw Blade Standard



133-108
**Martin Finger Ring Saw 18.5 cm
- 7 1/4"**



133-109
Spare Drill Large Standard



133-110

Spare Drill Medium Standard



133-111

Spare Drill Small Standard



133-112

**Ideal Finger Nail Drill Complete
With Drills Standard**


Nail Instruments



134-101
**Tending Interlacing Forcep
Pointed 15 cm - 6"**



134-102
**Tending Interlacing Forcep
Pointed 15.5 cm - 6"**



134-103
**Kleinert-Kutz Tending Holding
Forcep 1 x 2 Teeth 21 cm - 8
1/4"**



134-104
**Tending Holding Forcep 11.5 cm
- 4 1/2"**



134-105
**Carroll Tendon Tunnelling
Forcep 11.5 cm - 4 1/2"**



134-106
**Tendon Tunnelling Forcep 1 x 2
Teeth 21 cm - 8 1/4"**



134-107
**Tendon Tunnelling Forcep 1 x 2
Teeth 21 cm - 8 1/4"**



134-108
**Brand Tendon Tunnelling
Forcep 1 x 2 Teeth 21 cm - 8
1/4"**



134-109
**Brand Tendon Tunnelling
Forcep 1 x 2 Teeth 24.5 cm - 9
3/4"**



134-111
**Steinmann Tendon Holding
Forcep 15 cm - 6"**



134-112
**Bunnell Tendon Passer
Malleable 16 cm - 6 1/4"**



134-113
Tendon Stripper 23 cm - 9"



134-114
**Fischer Tendon Stripper
Blunt 28.5 cm - 11 1/4"**



134-115
**Screw for Tendon Passing
Instrument 31 cm - 12 1/4"**



134-116
**Tendon Passing
Instrument 33.5 cm - 13 1/4"**



134-117
**Tendon Stripper Flexible
Shaft 23 cm - 9"**



134-118
**Tendon Stripper Flexible
Shaft 23 cm - 9"**



134-119
**Tendon Stripper Flexible
Shaft 23 cm - 9"**



134-120

Bunnell Tendon Stripper Fig.
5 15 cm - 6"



134-121

Bunnell Tendon Stripper Fig.
4 15 cm - 6"



134-122

Bunnell Tendon Stripper Fig.
3 15 cm - 6"

Tendon Instruments



135-101

TC Wire Cutting Plier For Soft Wires up to 1.5 mm Ø - For Hard Wiers up to 1.0 mm Ø 13 cm - 5 1/4"



135-102

TC Wire Cutting Plier For Soft Wires up to 3.5 mm Ø - For Hard Wiers up to 2.5 mm Ø 16.5 cm - 6 1/2"



135-103

TC Wire Cutting Plier For Soft Wires up to 2.0 mm Ø - For Hard Wiers up to 1.7 mm Ø 17.5 cm - 7"



135-104

TC Wire Cutting Plier For Soft Wires up to 2.8 mm Ø - For Hard Wiers up to 2.2 mm Ø 22.5 cm - 8 3/4"



135-105

TC Wire Cutting Plier For Soft Wires up to 3.0 mm Ø - For Hard Wiers up to 2.2 mm Ø 23 cm - 9"



135-106

TC Wire Cutting Plier For Soft Wires up to 2.0 mm Ø - For Hard Wiers up to 1.2 mm Ø 15 cm - 6"



135-107

TC Wire Cutting Plier / Plate Cutter For Wires Up to 6 mm Ø 47 cm - 18 1/2"



135-108

TC Wire Cutting Plier For Soft Wires up to 3.0 mm Ø - For Hard Wiers up to 2.0 mm Ø 22 cm - 8 3/4"



136-101

TC Wire Twisting Forcep 15.5 cm - 6"



136-102

TC Wire Twisting Forcep 18 cm - 7"



136-103

TC Wire Twisting Forcep 15.5 cm - 6"



136-104

TC Wire Twisting Forcep 18 cm - 7"




136-105

TC Wire Twisting Forcep 15.5 cm - 6"



136-106

TC Wire Twisting Forcep 20 cm - 8"



136-107

TC Baumgartner Wire Twisting Forcep 20 cm - 8"



136-108

TC Wire Twisting Forcep 14.5 cm - 5 3/4"




136-109

TC Corwin Wire Twisting Forcep 16 cm - 6 1/4"



136-110

TC Combi Wire Twisting Forcep 18.5 cm - 7 1/4"



136-111

TC Berry Wire Twisting Forcep Heavy Pattern - With Tungsten Carbide Inserts 19 cm - 7 1/2"



136-112

Combi-Flat Nose Plier Parallel Grip - Compound Action 18 cm - 7"



136-113

Combi-Flat Nose Plier Parallel Grip - Compound Action 18 cm - 7"



136-114

Combi-Flat Nose Plier Parallel Grip - Compound Action 18 cm - 7"

TC Wire Holding Forceps



137-101

Demel Wire Guides Fig. 1 31 cm - 12 1/4"



137-102

Demel Wire Guides Fig. 2 29 cm - 11 1/2"



137-103

Demel Wire Guides Fig. 3 28 cm - 11"



137-104

Loute Wire Tightener 21 cm - 8 1/4"



137-105

Demel Wire Tightener and Twister 27 cm - 10 3/4"



137-106

Steinmann Extension Pins With Trocar Point 14 cm - 5 1/2"



137-107

Steinmann Extension Pins With Trocar Point 16 cm - 6 1/4"



137-108

Steinmann Extension Pins With Trocar Point 18 cm - 7"



137-109

Steinmann Extension Pins With Trocar Point 20 cm - 8"



137-110

**Bohler Extension Bows For
Femur and Knee Inner Width
210 x 150 mm - 8" x 6"**



137-111

**Bohler Extension Bows For
Arm Inner Width 160 x 90 mm -
6 1/4" x 4 1/2"**



137-112

**Bohler Extension Bows For
Femur and Knee Inner Width
210 x 110 mm - 8 1/4" x 4 1/2"**



137-113

**Kirschner Extension Bows For
Children - With 3 Traction
Hooks Inner Width 95 x 70 mm**



137-114

**Kirschner Extension Bows For
Wrist and Ankle - With 3
Traction Hooks Inner Width 105
x 105 mm**



137-115

**Kirschner Extension Bows For
Elbow - With 3 Traction
Hooks Inner Width 120 x 120
mm**



137-116

**Kirschner Extension Bows For
Knee - With 3 Traction
Hooks Inner Width 155 x 155
mm**



137-117

**Kirschner Extension Bows For
Femur - With 3 Traction
Hooks Inner Width 200 x 155
mm**



137-118

**Kirschner Extension Bows Small
Pattern - With 3 Traction
Hooks 18.5 cm - 7 1/4"**



137-119

**Kirschner Extension Bows Small
Pattern - With 3 Traction
Hooks 26.5 cm - 10 1/2"**



137-121

Wrench 20 cm - 8"



137-122

**Extension Bows Inner Width 270
x 160 mm - 10 1/2" x 6 1/4"**



137-123

**Extension Bows Inner Width 180
x 100 mm - 7" x 4"**

Wire Guides & Extension Bows



138-101
Flat Nose Plier 13.5 cm - 5 1/4"



138-102
Flat Nose Plier 14 cm - 5 1/2"



138-103
Flat Nose Plier 14 cm - 5 1/2"



138-104
Flat Nose Plier 17.5 cm - 7"




138-105
Flat Nose Plier With Crosswise Groove 17 cm - 6 3/4"



138-106
Flat Nose Plier Pointed 19.5 cm - 7 3/4"



138-107
Flat Nose Plier With Longitudinal Groove 16 cm - 6 1/4"



138-108
Combi-Flat Nose Plier For Bending and Cutting 15 cm - 6"



138-109
Flat Nose Plier Parallel Grip 18.5 cm - 7 1/4"



138-110

Vise Grip Plier 20.5 cm - 8"



138-111

Combi-Flat Nose Plier Parallel Grip - Compound Action 18 cm - 7"



138-112

Combi-Flat Nose Plier Parallel Grip - Compound Action 18 cm - 7"



138-113

Combi-Flat Nose Plier Parallel Grip - Compound Action 18 cm - 7"



138-114

Flat Nose Plier 18 cm - 7"



138-115

Wire Cutting Plier For Soft Wires up to 2.4 mm Ø - For Hard Wiers up to 1.8 mm Ø 18.5 cm - 7 1/4"

Mailing Address (Darters Surgical)

Head Marala Road, Gohad Pur, Sialkot - 51310, Pakistan.

Phone: 0092-305-6056248

Email: info@dartersurgical.com

URL: <http://www.dartersurgical.com>